

FIREFLY & NeXTimber New Solutions Update

Outlined below, discover the latest FIREFLY solutions, now available through NeXTimber by Timberlink walls, available in the Core Hole Report.

FAS190236 RIR 1.22A



Up to 40 mm blank hole

Products
FIREFLYMasticHP


Service ID & FRL
V539A -/60/60
V539B -/90/90
V539C -/120/120



Up to 40 mm blank hole

Products
FIREFLY Penowrap
FIREFLYMastic

Service ID & FRL
V540A -/60/60
V540B -/90/90
V540C -/120/120



Up to 140 mm x 135 mm
Glulam post

Products
FIREFLYMastic

Service ID & FRL
V541A -/60/60
V541B -/90/90
V541C -/120/120



Bundle of up to 11 × 1.5 mm²
Fire Alarm cables

Products
FIREFLYMasticHP


Service ID & FRL
V542A -/60/60
V542B -/90/90



Up to 12 x 1.5 mm² 2C+E TPS
cables

Products
FIREFLY Penowrap Gasket
FIREFLYMasticHP


Service ID & FRL
V543A -/60/60
V543B -/90/90



Up to 1 x 16 mm² 3C+E PVC
cable

Products
FIREFLY Penowrap Gasket
FIREFLYMasticHP

Service ID & FRL
V544A -/60/60
V544B -/90/90



Type B Copper pipe size
(DN6 to DN25)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V545A -/60/60
V545B -/90/90



Type B Copper pipe size
(DN6 to DN25)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V545C -/120/120



Type B Copper pipe size
(DN32 to DN50)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V546A -/60/60
V546B -/90/90
V546C -/120/120



Type B Copper pipe size
(DN65 to DN100)

Products
FIREFLY Penowrap
FIREFLYMastic

Service ID & FRL
V547A -/60/60
V547B -/90/90
V547C -/120/120



Galvanised Steel pipe
Size (NB15 to NB40)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V548A -/60/60
V548B -/90/90
V548C -/120/120



Galvanised Steel pipe
Size (NB50 to NB100)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V549A -/60/60
V549B -/90/90
V549C -/120/120



1 × 1/4" + 5/8" pair coil with 13 mm insulation thickness + 2 × 1.5 mm² 2C+E TPS cable + 1 × 16 mm² 3C+E PVC cable

Products
FIREFLY Penowrap Gasket
FIREFLYMasticHP


Service ID & FRL
V550A -/60/60
V550B -/90/90



Up to (2 × 1/4" with + 5/8" Non-FR Ardent pair coil + 4 × 2.5 mm² 2C+E TPS cables)

Products
FIREFLYMasticHP


Service ID & FRL
V551A -/60/60
V551B -/90/90



Up to (1 × 25 mm PEX-a pipe + 1 × 16 mm PEX-a pipe + 1 × 16 mm PEX-a/AL/PE + 1 × 1/4" + 3/8" FR pair coil with 19 mm nitrile rubber insulation + 6 × 1.5 mm² 2C+E TPS cables + 5 × 2.5 mm² 2C+E TPS cables + 2 × 0.75 mm 2C cables + 6 × 1.5 mm² 2C cables + 2 × 6 mm² 3C+E cables + 2 × CAT5 cables + 2 × CAT6 cables + 2 × RG6 cables + 1 × 32 mm uPVC conduit)

Products
FIREFLY Penowrap Gasket, FIREFLY FRF 100 Collar, FIREFLYMastic


Service ID & FRL
V552A -/60/60
V552B -/90/90



PEX-a pipe – Up to 40 mm

Products
FIREFLYMasticHP


Service ID & FRL
V553A -/60/60
V553B -/90/90



PEX/AL/PE pipe – Up to 40 mm

Products
FIREFLYMasticHP


Service ID & FRL
V554A -/60/60
V554B -/90/90



DN100 uPVC pipe. Max wall thickness 3.5 mm. Pipe OD 110.8 mm

Products
FIREFLYMasticHP


Service ID & FRL
V555A -/60/60
V555B -/90/90



DN100 uPVC pipe

Products
FIREFLY FRF-100 Collar
FIREFLYMasticHP

Service ID & FRL
V556A -/60/60
V556B -/90/90



DN110 HDPE pipe

Products
FIREFLY Penowrap Gasket
FIREFLY FRF-100 Collar

Service ID & FRL
V557A -/60/60
V557B -/90/90



Up to 40 mm blank hole

Products
FIREFLY MasticHP


Service ID & FRL
H245A -/60/60
H245B -/90/90
H245C -/120/120



Up to 40 mm blank hole

Products
FIREFLY Penowrap
FIREFLY Mastic

Service ID & FRL
H246A -/60/60
H246B -/90/90
H246C -/120/120



Up to 140 mm x 135 mm
Glulam post

Products
FIREFLY Mastic


Service ID & FRL
H247A -/60/60
H247B -/90/90
H247C -/120/120



Bundle of up to 11 x 1.5 mm²
Fire Alarm cables

Products
FIREFLY MasticHP


Service ID & FRL
H248A -/60/60
H248B -/90/90



Up to 12 x 1.5 mm² 2C+E TPS
cables

Products
FIREFLY Penowrap Gasket
FIREFLY MasticHP

Service ID & FRL
H249A -/60/60
H249B -/90/90



Up to 1 x 16 mm² 3C+E PVC
cable

Products
FIREFLY Penowrap Gasket
FIREFLY MasticHP


Service ID & FRL
H250A -/60/60
H250B -/90/90



Type B Copper pipe size
(DN6 to DN25)

Products
FIREFLY Penowrap
FIREFLY Mastic


Service ID & FRL
H251A -/60/60
H251B -/90/90



Type B Copper pipe size
(DN6 to DN25)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
H251C -/120/120



Type B Copper pipe size
(DN32 to DN50)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
H252A -/60/60
H252B -/90/90
H252C -/120/120



Type B Copper pipe size
(DN65 to DN100)

Products
FIREFLYMastic
FIREFLY Penowrap

Service ID & FRL
H253A -/60/60
H253B -/90/90
H253C -/120/120



Galvanised Steel pipe
Size (NB15 to NB40)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
H254A -/60/60
H254B -/90/90
H254C -/120/120



Galvanised Steel pipe
Size (NB50 to NB100)

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
H255A -/60/60
H255B -/90/90
H255C -/120/120



1 x 1/4" + 5/8" pair coil with 13
mm insulation thickness + 2 x
1.5 mm² 2C+E TPS cable + 1 x
16 mm² 3C+E PVC cable

Products
FIREFLY Penowrap Gasket
FIREFLYMasticHP


Service ID & FRL
H256A -/60/60
H256B -/90/90



Up to (2 x 1/4" with + 5/8"
Non-FR Ardent pair coil + 4 x
2.5 mm² 2C+E TPS cables)

Products
FIREFLYMasticHP

Service ID & FRL
H257A -/60/60
H257B -/90/90



Up to (1 × 25 mm PEX-a pipe + 1 × 16 mm PEX-a pipe + 1 × 16 mm PEX-a/AL/PE + 1 × 1/4" + 3/8" FR pair coil with 19 mm nitrile rubber insulation + 6 × 1.5 mm² 2C+E TPS cables + 5 × 2.5 mm² 2C+E TPS cables + 2 × 0.75 mm 2C cables + 6 × 1.5 mm² 2C cables + 2 × 6 mm² 3C+E cables + 2 × CAT5 cables + 2 × CAT6 cables + 2 × RG6 cables + 1 × 32 mm uPVC conduit)


Products

FIREFLY Penowrap Gasket, FIREFLY FRF 100 Collar, FIREFLYMastic

Service ID & FRL

H258A -/60/60

H258B -/90/90



PEX-a pipe – Up to 40 mm


Products

FIREFLYMasticHP

Service ID & FRL

H259A -/60/60

H259B -/90/90



PEX/AL/PE pipe – Up to 40 mm

Products

FIREFLYMasticHP

Service ID & FRL

H260A -/60/60

H260B -/90/90



DN100 uPVC pipe


Products

FIREFLY FRF-100 Collar

Service ID & FRL

H261A -/60/60

H261B -/90/90



DN150 uPVC pipe

Products


FIREFLY FRF-100 Collar

FIREFLYMastic

Service ID & FRL

H262A -/60/60

H262B -/90/90



DN110 HDPE pipe

Products

FIREFLY Penowrap Gasket

FIREFLY FRF-100 Collar

Service ID & FRL

H263A -/60/60

H263B -/90/90


FAS190235 RIR 1.26B



Up to 12 mm threaded rod

Products
FIREFLY Penowrap
FIREFLYMastic


Service ID & FRL
V147 -/240/240



Up to 12 mm threaded rod

Products
FIREFLY Penowrap
FIREFLYMastic

Service ID & FRL
H147A -/180/180



Up to 12 mm threaded rod

Products
FIREFLY Penowrap
FIREFLYMastic

Service ID & FRL
H147B -/240/240

To obtain a copy of our FAS190235 or FAS190236 reports reach out to your FIREFLY Account Manager or contact our customer service team at sales@tbafirefly.com.au

Experience the convenience of seamless project management across all your devices with FIREFLY PFP. Create projects, generate reports, track progress and ensure DTS compli-



Filterable system search

Find what you need quickly with complex filtering including substrate orientation, substrate type, MIN FRL and more.



Step-by-step installation guide

Step through guide for installations, new project creation and audits, plus project status overview.



Bookmark systems

The ability to mark systems you use frequently as favourites to maximise workflow efficiency.



Document compliance issues

Add UIN Numbers, location, description and photos of the compliance issues on your project.



Add members

Collaborate seamlessly by adding other members to a project.



Instant certification report numbers

Generate free custom reports for any project either from your construction site or from your office with ease.

Getting Started

1. **Create a profile** via our website or via the app, available to download at the App store or Google Play
2. **Access your profile** via both desktop and app, or only via the desktop should you choose not to download the mobile app.
3. **Sign in** anytime to access 70,000+ tested and assessed systems, reports, project registers and more

Have a question about FIREFLY PFP, contact us today.

